

DIAM080

MONOCOMANDO EMBUTIR BANHO/DUCHE 2 VIAS DIAMOND




ASM TAPS®

WATER SOUL

EN CONCEALED 2 WAY BATH/SHOWER MIXER DIAMOND

FR MITIGEUR BAIGNOIRE/DOUCHE ENCASTRÉ 2 VOIES DIAMOND

ES MONOMANDO BAÑO/DUCHA EMPOTRAR 2 VIAS DIAMOND



Rev. 05/08/2025
DIAM080





CARACTERÍSTICAS TÉCNICAS


PRESSÃO RECOMENDADA: RECOMMENDED PRESSURE:	3 - 4 BAR
TEMPERATURA RECOMENDADA: RECOMMENDED TEMPERATURE:	15°C - 65°C
MATERIAIS: MATERIALS:	Latão
TEMPERATURA MÁXIMA: MAXIMUM TEMPERATURE:	70°C
CAUDAL MÁXIMO A 3 BAR: MAXIMUM FLOW AT 3 BAR:	L/MIN
LIGAÇÃO DE ENTRADA: INPUT CONNECTION:	G1/2"
LIGAÇÃO DE SAÍDA: OUTPUT CONNECTION:	G1/2"
PESO (KG): WEIGHT (KG):	2.3
DIMENSÕES EMBALAGEM (MM): SIZE PACKAGING (MM):	270x235x80

ACABAMENTOS

CR - CROMADO CHROME CHROME CROMO
PR - PRETO MATE BLACK MATT NOIR MAT NEGRO MATE
BR - BRANCO MATE WHITE MATT BLANC MAT BLANCO MATE
ST - SATINOX SATINOX SATINOX SATINOX
AT - ANTRACITE ANTHRACITE ANTHRACITE ANTRACITA
GM - GUNMETAL GUNMETAL GUNMETAL GUNMETAL
GMM - GUNMETAL MATE GUNMETAL MATT GUNMETAL MAT GUNMETAL MATE
OR - DOURADO GOLD DORÉ DORADO
ORM - DOURADO MATE GOLD MATT DORÉ MAT DORADO MATE
CB - COBRE COPPER CUIVRE COBRE
CBM - COBRE MAT COPPER MAT CUIVRE MAT COBRE MATE

TECNOLOGIA

-  AC540C - Cartucho Ø35 Energy Saving
AC540C - Ø35 Energy Saving Cartridge
-  AC1840 - Distribuidor 2 vias Ø25
AC1840 - 2 way distributor Ø25
-  Embutido a parede
Built-in to wall
-  Abertura energia saving
Opening energy saving



DIAM080


MONOCOMANDO EMBUTIR BANHO/DUCHE 2 VIAS DIAMOND



ASM TAPS®

WATER SOUL


LISTA DE COMPONENTES



DIAM080 Rev. 05/08/2025

Nº	DESCRIPTION	REF.	QT.
1	Copo Cartuchos Embutidos	100040	1
2	Espelho 2 Vias Cilíndrico	100061	1
3	Porca M37x1,5 C Oring	100881	1
4	Orings 23.00x1.50 NBR 70	001098	1
5	MANÍPULO LAVATÓRIO DIAMOND	AC2370	1
6	Campânula Porca M37x1,5	100880	1
7	Manípulo Distribuidor 080	101083	1
8	Campânula Distribuidor 080	101082	1
9	Perno Umbrako Din 916 M4-5 Inox A-2	09140400050IN	1
10	Dístico em ABS de 5.5mm Cromado	LH-PLCR4	1
11	Distribuidor Ø25 2 Vias	AC1840	1
12	CARTUCHO 35 ENERGY SAVING	AC540C	1
13	BOX MONOCOMANDO EMBUTIR DUCHE 2 VIAS	INT105	1
14	BLOCO DA BOX EXTERIOR 2 VIAS	101513	1
15	BLOCO DISTRIBUIDOR EXTERIOR 2 VIAS	101514	1

! SERVICE



DIAM080

MONOCOMANDO EMBUTIR BANHO/DUCHE 2 VIAS DIAMOND




A S M T A P S


W A T E R S O U L

INSTALLATION MANUAL


1 CONECTION




2 FIXED




3 REMOVE PROTECTION




4 FIX IT



5 FIX IT



6 MAINTENANCE



05/08/2025

Rev.

DIAM080