

DIAM080B2

MONOCOMANDO DUCHE EMBUTIR CLIC 2 VIAS DIAMOND




A S M T A P S[®]

WATER SOUL

EN CONCEALED CLIC 2 WAY SHOWER MIXER DIAMOND

FR MITIGEUR DOUCHE ENCASTRÉ CLIC 2 VOIES DIAMOND

ES MONOMANDO DUCHA EMPOTRAR CLIC 2 VIAS DIAMOND



DIAM080B2 Rev. 04/07/2025

CARACTERÍSTICAS TÉCNICAS


PRESSÃO RECOMENDADA: RECOMMENDED PRESSURE:	3 - 4 BAR
TEMPERATURA RECOMENDADA: RECOMMENDED TEMPERATURE:	15°C - 65°C
MATERIAIS: MATERIALS:	Latão
TEMPERATURA MÁXIMA: MAXIMUM TEMPERATURE:	70°C
CAUDAL MÁXIMO A 3 BAR: MAXIMUM FLOW AT 3 BAR:	L/MIN
LIGAÇÃO DE ENTRADA: INPUT CONNECTION:	G1/2"
LIGAÇÃO DE SÉIDA: OUTPUT CONNECTION:	G1/2"
PESO (KG): WEIGHT (KG):	2,92
DIMENSÕES EMBALAGEM (MM): SIZE PACKAGING (MM):	285x200x170

ACABAMENTOS

CR - CROMADO CHROME CHROME CROMO
PR - PRETO MATE BLACK MATT NOIR MAT NEGRO MATE
BR - BRANCO MATE WHITE MATT BLANC MAT BLANCO MATE
ST - SATINOX SATINOX SATINOX SATINOX
AT - ANTRACITE ANTHRACITE ANTHRACITE ANTRACITA
GM - GUNMETAL GUNMETAL GUNMETAL GUNMETAL
GMM - GUNMETAL MATE GUNMETAL MATT GUNMETAL MAT GUNMETAL MATE
OR - DOURADO GOLD DORÉ DORADO
ORM - DOURADO MATE GOLD MATT DORÉ MAT DORADO MATE
CB - COBRE COPPER CUIVRE COBRE
CBM - COBRE MAT COPPER MAT CUIVRE MAT COBRE MATE

TECNOLOGIA

	AC2140 - Válvula on/off fit FSG D6 control volume AC2140 - Fit FSG D6 on/off clic valve
	AC540C - Cartucho Ø35 AC540C - Cartridge Ø35
	Embutido a parede Built-in to wall
.	.
.	.
.	.
.	.
.	.
.	.
.	.
.	.



DIAM080B2


MONOCOMANDO DUCHE EMBUTIR CLIC 2 VIAS DIAMOND



ASM TAPS®

WATER SOUL

LISTA DE COMPONENTES



DIAM080B2 Rev. 04/07/2025

Nº	DESCRIPTION	REF.	QT.
1	ESPELHO BOTÃO 2 VIAS CILINDRICO CLIC C. VOLUME	101321	1
2	BOTÃO DISTRIBUIDOR EMBUTIDO CLIC C/ VOLUME	101320	2
3	Orings 23.00x1.50 NBR 70	001098	1
4	Copo Cartuchos Embutidos	100040	1
5	Dístico em ABS de 5.5mm Cromado	LH-PLCR4	1
6	Perno Umbrako Din 916 M4-5 Inox A-2	09140400050IN	1
7	MANÍPULO MONOCOMANDO DIAMOND	101433	1
8	Porca M37x1,5 C_Oring	100881	1
9	Campânula Porca M37x1,5	100880	1
10	CARTUCHO 35 ENERGY SAVING	AC540C	1
11	CAMPANULA DISTRIBUIDOR EMBUTIDO C BOTÃO CLIC C VOLUME	101319	2
12	BLOCO LAVATÓRIO DA BOX EXTERIOR	101349	1
13	BOX MONOCOMANDO EMBUTIR CLIC DUCHE 2 VIAS	INT106	1

! SERVICE



DIAM080B2

MONOCOMANDO DUCHE EMBUTIR CLIC 2 VIAS DIAMOND




A S M T A P S[®]


W A T E R S O U L

INSTALLATION MANUAL


1 CONECTION




2 FIXED




3 REMOVE PROTECTION




4 FIX IT



5 FIX IT



6 MAINTENANCE



DIAM080B2 Rev. 04/07/2025