

TERC090B3

MISTURADORA EMBUTIR TERMOSTÁTICA
CLIC 3 VIAS CILINDRICA




ASM TAPS®

WATER SOUL

EN CONCEALED CLIC 3 WAY THERMOSTATIC
MIXER CILINDRICA

FR MÉLANGEUR 3 VOIES CLIC
THERMOSTATIQUE CILINDRICA

ES MÉLANGEUR 3 VOIES CLIC
THERMOSTATIQUE CILINDRICA



Rev. 08/10/2025 TERC090B3


CARACTERÍSTICAS TÉCNICAS


| | |
|--|-------------|
| PRESSÃO RECOMENDADA: RECOMMENDED PRESSURE: | 3 - 4 BAR |
| TEMPERATURA RECOMENDADA: RECOMMENDED TEMPERATURE: | 15°C - 65°C |
| MATERIAIS: MATERIALS: | Latão |
| TEMPERATURA MÁXIMA: MAXIMUM TEMPERATURE: | 70°C |
| CAUDAL MÁXIMO A 3 BAR: MAXIMUM FLOW AT 3 BAR: | L/MIN |
| LIGAÇÃO DE ENTRADA: INPUT CONNECTION: | G1/2" |
| LIGAÇÃO DE SÉIDA: OUTPUT CONNECTION: | G1/2" |
| PESO (KG): WEIGHT (KG): | 2,92 |
| DIMENSÕES EMBALAGEM (MM): SIZE PACKAGING (MM): | 285x200x170 |

ACABAMENTOS

| |
|--|
| CR - CROMADO CHROME CHROME CROMO |
| PR - PRETO MATE BLACK MATT NOIR MAT NEGRO MATE |
| BR - BRANCO MATE WHITE MATT BLANC MAT BLANCO MATE |
| ST - SATINOX SATINOX SATINOX SATINOX |
| AT - ANTRACITE ANTHRACITE ANTHRACITE ANTRACITA |
| GM - GUNMETAL GUNMETAL GUNMETAL GUNMETAL |
| GMM - GUNMETAL MATE GUNMETAL MATT GUNMETAL MAT GUNMETAL MATE |
| OR - DOURADO GOLD DORÉ DORADO |
| ORM - DOURADO MATE GOLD MATT DORÉ MAT DORADO MATE |
| CB - COBRE COPPER CUIVRE COBRE |
| CBM - COBRE MAT COPPER MAT CUIVRE MAT COBRE MATE |

TECNOLOGIA

-  AC2140 - Válvula on/off FSG D6 control volume
AC2140 - FSG D6 on/off clic valve
-  AC1940 - Cartucho termostático Mini Kerox
AC1940 - Mini Thermostatic Cartridge Kerox
-  Embutido a parede
Built-in to wall
-  Termostática
Thermostatic



TERC090B3


MISTURADORA EMBUTIR
TERMOSTÁTICA CLIC 3 VIAS
CILINDRICA



ASM TAPS®

WATER SOUL

LISTA DE COMPONENTES



TERC090B3 Rev. 08/10/2025

| Nº | DESCRIPTION | REF. | QT. |
|----|---|----------|-----|
| 1 | ESPELHO BOTÃO 3 VIAS CILINDRICO CLIC C. VOLUME | 101322 | 1 |
| 2 | Campânula Cartucho Mist. Embutir Termostática 2 Vias | 100636 | 1 |
| 3 | BOTÃO DISTRIBUIDOR EMBUTIDO CLIC C/ VOLUME | 101320 | 3 |
| 4 | CAMPANULA DISTRIBUIDOR EMBUTIDO C BOTÃO CLIC C VOLUME | 101319 | 3 |
| 5 | BOX MISTURADORA EMBUTIR TERMOSTATICA CLIC 3 VIAS | INT116 | 1 |
| 6 | MANÍPULO C/PERNO DISTRIBUIDOR CILÍNDRICO | AC1210 | 1 |
| 7 | Anilha Nylon Ø37x40x1 | T1009995 | 1 |

! SERVICE



TERC090B3

MISTURADORA EMBUTIR
TERMOSTÁTICA CLIC 3 VIAS
CILINDRICA




A S M T A P S ®


W A T E R S O U L

INSTALLATION MANUAL


1 CONECTION




2 FIXED



3 FIX IT



4 MAINTENANCE



5

6

08/10/2025

Rev.

TERC090B3