



TERDIAM080

MISTURADORA EMBUTIR TERMOSTATICA 2 VIAS DIAMOND




ASM TAPS®

WATER SOUL

EN CONCEALED 2 WAYS THERMOSTATIC MIXER DIAMOND

FR MÉLANGEUR ENCASTRÉ 2 VOIES THERMOSTATIQUE DIAMOND

ES MEZCLADOR EMPOTRAR 2 VIAS TERMOSTÁTICO DIAMOND



Rev. 15/05/2026 TERDIAM080





CARACTERÍSTICAS TÉCNICAS


PRESSÃO RECOMENDADA: RECOMMENDED PRESSURE:	3 - 4 BAR
TEMPERATURA RECOMENDADA: RECOMMENDED TEMPERATURE:	15°C - 65°C
MATERIAIS: MATERIALS:	Latão
TEMPERATURA MÁXIMA: MAXIMUM TEMPERATURE:	70°C
CAUDAL MÁXIMO A 3 BAR: MAXIMUM FLOW AT 3 BAR:	L/MIN
LIGAÇÃO DE ENTRADA: INPUT CONNECTION:	G1/2"
LIGAÇÃO DE SÉIDA: OUTPUT CONNECTION:	G1/2"
PESO (KG): WEIGHT (KG):	3,205
DIMENSÕES EMBALAGEM (MM): SIZE PACKAGING (MM):	285x200x170

ACABAMENTOS

CR - CROMADO CHROME CHROME CROMO
PR - PRETO MATE BLACK MATT NOIR MAT NEGRO MATE
BR - BRANCO MATE WHITE MATT BLANC MAT BLANCO MATE
ST - SATINOX SATINOX SATINOX SATINOX
AT - ANTRACITE ANTHRACITE ANTHRACITE ANTRACITA
GM - GUNMETAL GUNMETAL GUNMETAL GUNMETAL
GMM - GUNMETAL MATE GUNMETAL MATT GUNMETAL MAT GUNMETAL MATE
OR - DOURADO GOLD DORÉ DORADO
ORM - DOURADO MATE GOLD MATT DORÉ MAT DORADO MATE
CB - COBRE COPPER CUIVRE COBRE
CBM - COBRE MAT COPPER MAT CUIVRE MAT COBRE MATE

TECNOLOGIA

-  AC1180-Distribuidor Misturadora Termostática
AC1180-Distributor Thermostatic Mixer
-  AC1940 - Cartucho termostático Mini Kerox
AC1940 - Mini Thermostatic Cartridge Kerox
-  Embutido a parede
Built-in to wall
-  Termostática
Thermostatic



TERDIAM080

MISTURADORA EMBUTIR
TERMOSTÁTICA 2 VIAS DIAMOND




ASM TAPS®

WATER SOUL


LISTA DE COMPONENTES

TERDIAM080 Rev. 15/05/2026



Nº	DESCRIPTION	REF.	QT.
1	ESPELHO TIMELESS TERC080 VERTICAL	101412	1
2	MANÍPULO DISTRIBUIDOR DIAMOND	AC2380	2
3	Anilho Nylon Ø35x38x1	T112378	2
4	BOX MISTURADORA EMBUTIR TERMOSTÁTICA 2 VIAS	INT114	1
5	CAMPANULA 35 TERMOSTÁTICA 2 VIAS	101515	2

! SERVICE



TERDIAM080

MISTURADORA EMBUTIR TERMOSTATICA 2 VIAS DIAMOND



A S M T A P S ®

W A T E R S O U L

INSTALLATION MANUAL

<h4>1 CONECTION</h4>	<h4>2 FIXED</h4>
<h4>3 FIX IT</h4>	<h4>4 MAINTENANCE</h4>
<h4>5</h4>	<h4>6</h4>

TERDIAM080 Rev. 15/05/2026